

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Report of immigration at Philadelphia for the week ended April 11, 1896.

OFFICE OF U. S. COMMISSIONER OF IMMIGRATION, Port of Philadelphia, April 11, 1896.

Number of alien immigrants who arrived at this port during the week ended April 11, 1896; also names of vessels and ports from which they arrived.

Date.	Vessel.	Where from.	No. of immigrants from Russia.	No. of immigrants.
1896. Apr. 7 Apr. 10	Steamship Waesland Steamship Illinois	Liverpool and Queenstown Antwerp	14 47	220 758
	Total	•••••••	61	978

JNO. J. S. RODGERS, Commissioner of Immigration.

Reports of States and yearly and monthly reports of cities.

California—Sacramento.—Month of March, 1896. Estimated population, 30,000. Total deaths, 38, including phthisis pulmonalis, 9, and diphtheria, 1.

CONNECTICUT—*Bridgeport*.—Month of March, 1896. Estimated population, 58,860. Total deaths, 107, including phthisis pulmonalis, 14; enteric fever, 1; diphtheria, 5; croup, 2, and measles, 1.

Hartford.—Month of March, 1896. Estimated population, 62,000. Total deaths, 115, including phthisis pulmonalis, 10; enteric fever, 1; scarlet fever, 3; diphtheria, 3; measles, 21, and whooping cough, 2.

FLORIDA.—Month of January, 1896. Reports to the State board of health from 45 counties, including the cities of Key West, Jacksonville, Pensacola, and Tampa, having an aggregate population of 391,322, show a total of 264 deaths, including phthisis pulmonalis, 45; enteric fever, 2; croup, 2, and whooping cough, 1.

Kentucky—Louisville.—Month of March, 1896. Estimated population, 211,100. Total deaths, 308, including phthisis pulmonalis, 38; enteric fever, 5; diphtheria, 2, and whooping cough, 1.

MASSACHUSETTS—Brockton.—Month of March, 1896. Estimated population, 33,165. Total deaths, 33, including phthisis pulmonalis, 6; diphtheria and croup, 1, and scarlet fever, 1.

Malden.—Month of March, 1896. Estimated population, 30,000. Total deaths, 37, including phthisis pulmonalis, 1, and croup, 1.

Newton.—Month of March, 1896. Estimated population, 27,500. Total deaths, 39, including phthisis pulmonalis, 5; enteric fever, 1, and diphtheria, 2.

NEW YORK.—Month of February, 1896. Reports to the State board of health from 8 districts, including New York City, Brooklyn, and 153 other cities, towns, and villages, show a total of 9,825 deaths, including phthisis pulmonalis, 1,084; enteric fever, 121; scarlet fever, 110; diphtheria and croup, 444; measles, 192, and whooping cough, 52.

353 April 17, 1896

The Monthly Bulletin says:

There was an average daily mortality during the month of 338, against 328 in January, and an estimated death rate per 1,000 population of 18.75, against 18.50. In February, 1895, the daily mortality was 384, and the death rate 21.55. The relative infant mortality and the relative zymotic mortality were both the same as in January, but higher than in the corresponding month of 1895. The average mortality under the age of 5 years for the past ten years has been 31 per cent of all the deaths, against 30 this month, and the zymotic mortality 13.27 per cent against 12.91 this month. The actual number of deaths reported from cerebro-spinal fever, typhoid fever, and whooping cough is a little less than in January, while those from diphtheria are much less (440 against 530), while from other zymotic diseases there is no material variation. The only disease of this class which shows a materially greater mortality than in February of last year is measles, which continues its increased prevalence in the eastern part of the State. Scarlet fever has been reported from 51 localities, against 46 in January; diphtheria from 31, the same as in January and December; typhoid fever from 28, against 21 in January and 34 in December, the largest distribution being in the Hudson Valley district. One case of smallpox, which has since proved fatal, has been reported from Rye. Consumption caused a small relative increase of mortality over January (11.75 per cent, against 11.28), as did also acute respiratory diseases (20.50 per cent, against 19.80), but from these latter there were 500 fewer deaths than in February, 1895, when an epidemic of grippe was at its height; the present epidemic of that disease continues, as noted last month, exceedingly mild, and may be estimated to have caused not to exceed 500 deaths. There are indications of the continued prevalence of jaundice, as noted in January.

OHIO—Dayton.—Month of March, 1896. Estimated population, 85,000. Total deaths, 82, including smallpox, 4; phthisis pulmonalis, 13; enteric fever, 1; diphtheria, 2, and croup, 1.

Toledo.—Month of March, 1896. Estimated population, 122,760. Total deaths, 122, including phthisis pulmonalis, 7; enteric fever, 2, and diphtheria, 1.

PENNSYLVANIA—Harrisburg.—Month of March, 1896. Estimated population, 50,000. Total deaths, 64, including phthisis pulmonalis, 5; enteric fever, 2, and diphtheria, 3.

RHODE ISLAND—Newport.—Month of March, 1896. Estimated population, 21,500. Total deaths, 29, including phthisis pulmonalis, 2, and diphtheria, 1.

TENNESSEE—Knoxville.—Month of March, 1896. Estimated population, 42,704. Total deaths, 70, including phthisis pulmonalis, 8; enteric fever, 4; croup, 1, and whooping cough, 1.

Memphis.—Month of March, 1896. Estimated population, white, 28,064; colored, 27,859; total, 55,923. Deaths, white, 51; colored, 44; total, 95, including phthisis pulmonalis, 18, and enteric fever, 1.

WEST VIRGINIA—Wheeling.—Quarter ended March 31, 1896. Estimated population, 38,000. Total deaths, 119, including phthisis pulmonalis, 12; diphtheria, 2; croup, 2; enteric fever, 4, and scarlet fever, 1.